## AMENDMENTS TO THE SPECIFICATION:

Please amend the paragraph extending from page 6, line 10 to page 7, line 7, as follows:

For achieving these objects, first, various Phellinus spp. strains were cultured and their total DNA were isolated by a SDS-phenol method. Of the total DNA, only mitochondrial DNA is obtained. The mitochondrial DNA was digested with restriction enzymes BAMHI, Clal, EcoRI and Pvull, followed by electrophoresis on an agarose gel. The DNA relatedness among the Phellinus strains was analyzed according to the method of Nei and Li (1979). From the analytical data, a novel strain was found which forms new relatedness to other strains. This strain was named Phellinus linteus Yoo and deposited in the Korean Collection for Type Cultures, Korean Research Institute of Bioscience and Biotechnology (52 Oun Dong, Yusong, Daejon 305-333, Republic of Korea) on Nov. 17, 1997 (Deposition No. KCTC 0399BP). An investigation was made on the microbiological features of the KCTC 0399BP strain. A novel polysaccharide substance was isolated and purified from the fruiting bodies and mycelia of the novel strain and tested for The immuno-stimulating polysaccharide substance immuno-stimulating activity. was analyzed for its sugar units and composition, followed by the structural analysis of carbohydrate component. Similarly, other various Phellinus spp. strains were cultured and their fruiting bodies and mycelia were subjected to isolation and

purification to give polysaccharide substances which were also of immunostimulating activity.

Please amend the table (Table 11) on page 31, lines 3 to 6, as follows:

Polysaccharide Extract	Carbo- hydrate (%)	Protein (%)	Sugar Units (mole %)		
			Glucose	Monnose	Gatactose
				Mannose	Galactose
PL	82.7	17.3	78.6	18.0	3.4